# ADAM PATRICK BOYLAN

## License Number: CH9740

Data As Of 7/6/2025	
Profession Chiropractic Ph	
License	CH9740
License Status	Clear/Active
License Expiration Date	3/31/2026
License Original Issue Date	06/22/2009
Address of Record	555 Winderley Pl
	Suite 105
	MAITLAND, FL 32751
Discipline on File	No
Public Complaint	No

## Secondary Locations

No secondary locations found.

# Discipline/Admin Action

### **Emergency Actions**

No Emergency Actions Found

### **Discipline Cases**

No Discipline Found

### **Public Complaints**

No Public Complaint Found

If a link does not appear for the case number, we do not have a scanned copy of the final order available in our database. To obtain a paper copy, please contact Public Records by clicking the link below:

#### Discipline Public Records Request

You may also contact Public Records by telephone at (850) 245-4252, option 4 or by written correspondence at: Division of Medical Quality Assurance Public Records 4052 Bald Cypress Way, Bin C01 Tallahassee, FL 32399-3251

Please include the following:

1. Full name and license number of the practitioner;

2. Name and address where documents are to be sent; and

3. If you require certification of the documents, a \$25 fee will be charged, in addition to the duplicating charges. Certification of the requested records will not be done unless specifically requested. An invoice will be sent to you and payment will be expected within thirty days. Upon receipt of payment, material will be sent to you.

# Subordinate Practitioners

Name	Relationship	Profession	License	Effective Date
CANNAVINO, MICHAEL	SUPRV-PHYSSUBORDINATE	CERT CHIROPRACTIC PA	185	3/6/2018

Click on the License Number to view License Details for that Practitioner

The information on this page is a secure, primary source for license verification provided by the Florida Department of Health, Division of Medical Quality Assurance. This website is maintained by Division staff and is updated immediately upon a change to our licensing and enforcement database.