MARLON A DANIELS MR

License Number: CNA373220

Data As Of 10/30/2025

Profession Certified Nursing Assistant

License Status Revoked/
License Expiration Date 5/31/2026
License Original Issue Date 02/26/2019

Address of Record If further information is needed, please contact the Department of Health at (850) 488-

0595.

Discipline on File Yes
Public Complaint Yes

Secondary Locations

No secondary locations found.

Discipline/Admin Action

Emergency Actions

No Emergency Actions Found

Discipline Cases

Name	License	Profession	City	State	Case#	Action Taken
DANIELS, MARLON A	373220	CERTIFIED NURSI	MIAMI	FL	202336120	REVOCATION

Public Complaints

Name	License	Profession	City	State	Case#	Action Taken
DANIELS, MARLON A	373220	CERTIFIED NURSING ASSISTANT	MIAMI	FL	202336120	AC FILED

If a link does not appear for the case number, we do not have a scanned copy of the final order available in our database. To obtain a paper copy, please contact Public Records by clicking the link below:

Discipline Public Records Request

You may also contact Public Records by telephone at (850) 245-4252, option 4 or by written correspondence at:

Division of Medical Quality Assurance

Public Records

4052 Bald Cypress Way, Bin C01

Tallahassee, FL 32399-3251

Please include the following:

- 1. Full name and license number of the practitioner;
- 2. Name and address where documents are to be sent; and
- 3. If you require certification of the documents, a \$25 fee will be charged, in addition to the duplicating charges. Certification of the requested records will not be done unless specifically requested. An invoice will be sent to you and payment will be expected within thirty days. Upon receipt of payment, material will be sent to you.

The information on this page is a secure, primary source for license verification provided by the Florida Department of Health, Division of Medical Quality Assurance. This website is maintained by Division staff and is updated immediately upon a change to our licensing and enforcement database.