### JENNIFER RAY BUNCH

## License Number: ME127245

Data As Of 7/26/2025

Profession Medical Doctor
License ME127245
License Status Clear/Active

Qualifications Dispensing Practitioner

License Expiration Date 1/31/2026
License Original Issue Date 03/02/2016

Address of Record 8839 Bryan Dairy Rd Suite 235

LARGO, FL 33777

Yes

Controlled Substance Prescriber Yes

(for the Treatment of Chronic Non-

malignant Pain)

Authorized to Order (Medical and

rized to Order (Medical and

Low-THC Cannabis)

Discipline on File No Public Complaint No

## **Secondary Locations**

No secondary locations found.

# Discipline/Admin Action

## **Emergency Actions**

No Emergency Actions Found

## **Discipline Cases**

No Discipline Found

### **Public Complaints**

No Public Complaint Found

If a link does not appear for the case number, we do not have a scanned copy of the final order available in our database. To obtain a paper copy, please contact Public Records by clicking the link below:

## Discipline Public Records Request

You may also contact Public Records by telephone at (850) 245-4252, option 4 or by written correspondence at: Division of Medical Quality Assurance
Public Records
4052 Bald Cypress Way, Bin C01
Tallahassee, FL 32399-3251

#### Please include the following:

- 1. Full name and license number of the practitioner;
- 2. Name and address where documents are to be sent; and
- 3. If you require certification of the documents, a \$25 fee will be charged, in addition to the duplicating charges. Certification of the requested records will not be done unless specifically requested. An invoice will be sent to you and payment will be expected within thirty days. Upon receipt of payment, material will be sent to you.

The information on this page is a secure, primary source for license verification provided by the Florida Department of Health, Division of Medical Quality Assurance. This website is maintained by Division staff and is updated immediately upon a change to our licensing and enforcement database.