



EMIL K. SCHANDL

License Number: DI2411

Data As Of 8/23/2025

Profession	CLINICAL LABORATORY DIRECTOR
License	DI2411
License Status	Deceased/
Qualifications	Serology Director Clinical Chemistry Director Hematology Director Immunohema DI
License Expiration Date	8/31/2020
License Original Issue Date	12/11/1974
Address of Record	If further information is needed, please contact the Department of Health at (850) 488-0595.
Discipline on File	Yes
Public Complaint	No

Secondary Locations

No secondary locations found.

Discipline/Admin Action

Emergency Actions

No Emergency Actions Found

Discipline Cases

Name	License	Profession	City	State	Case #	Action Taken
SCHANDL, EMIL K.	2411	DIRECTOR			199213942	PENALTY APPEALED-UPHELD

Public Complaints

No Public Complaint Found

If a link does not appear for the case number, we do not have a scanned copy of the final order available in our database. To obtain a paper copy, please contact Public Records by clicking the link below:

[Discipline Public Records Request](#)

You may also contact Public Records by telephone at (850) 245-4252, option 4 or by written correspondence at:
Division of Medical Quality Assurance
Public Records
4052 Bald Cypress Way, Bin C01
Tallahassee, FL 32399-3251

Please include the following:

1. Full name and license number of the practitioner;
2. Name and address where documents are to be sent; and
3. If you require certification of the documents, a \$25 fee will be charged, in addition to the duplicating charges. Certification of the requested records will not be done unless specifically requested. An invoice will be sent to you and payment will be expected within thirty days. Upon receipt of payment, material will be sent to you.

The information on this page is a secure, primary source for license verification provided by the Florida Department of Health, Division of Medical Quality Assurance. This website is maintained by Division staff and is updated immediately upon a change to our licensing and enforcement database.